## **CLAIMS**

What is claimed is:

- 1. A fuel system comprising:
  - a fuel channel;
  - an oxygen receiving channel; and
  - an oxygen permeable porous membrane in communication with said fuel channel and said oxygen receiving channel.
- 2. The fuel system as recited in claim 1, wherein said oxygen permeable porous membrane is generally parallel to said fuel channel and said oxygen receiving channel.
- 3. The fuel system as recited in claim 1, wherein said oxygen permeable porous membrane is non-perpendicular to said fuel channel.
- 4. The fuel system as recited in claim 1, wherein said oxygen receiving channel communicates an inert gas therethrough.
- 5. The fuel system as recited in claim 1, wherein said fuel channel communicates a liquid fuel containing a dissolved oxygen therethrough, said oxygen permeable porous membrane operable to separate the dissolved oxygen from the fuel.
- 6. The fuel system as recited in claim 1, wherein said oxygen permeable porous membrane is unsupported.
- 7. The fuel system as recited in claim 1, wherein said fuel channel communicates a liquid fuel in a first direction and said oxygen receiving channel communicates a gas in a direction opposite the first direction.

- 8. The fuel system as recited in claim 1, further comprising a pressure differential across said oxygen permeable porous membrane, said pressure differential lower than a capillary force of the fuel within a pore of said oxygen permeable porous membrane.
- 9. The fuel system as recited in claim 1, wherein said oxygen receiving channel comprises a sweep gas.
- 10. The fuel system as recited in claim 1, wherein said oxygen receiving channel comprises a vacuum.

- 11. A fuel system comprising:
  - a fuel channel;
  - an oxygen receiving channel; and
  - a gas/fuel contactor in communication with said fuel channel and said oxygen receiving channel.
- 12. The fuel system as recited in claim 11 further comprising a fuel condenser in communication with said oxygen receiving channel.
- 13. The fuel system as recited in claim 11, further comprising a sweep gas reservoir in communication with said oxygen receiving channel.
- 14. The fuel system as recited in claim 11, further comprising a second gas/fuel contactor in communication with said fuel channel and said oxygen receiving channel, said second gas/fuel contactor in series with said gas fuel contactor.
- 15. The fuel system as recited in claim 14, wherein said second gas/fuel contactor receives fuel at a fuel temperature greater than a fuel temperature of said gas/fuel contactor.
- 16. The fuel system as recited in claim 11, wherein said gas/fuel contactor comprises an unsupported oxygen permeable porous membrane in communication with said fuel channel and said oxygen receiving channel.

- 17. A method of minimizing dissolved oxygen from within a fuel system comprising the steps of:
- (1) locating an oxygen permeable porous membrane adjacent a liquid fuel flow containing a dissolved oxygen; and
- (2) flowing a sweep gas along the oxygen permeable porous membrane to draw the oxygen through the oxygen permeable porous membrane.
- 18. A method as recited in claim 17, wherein said step (2) further comprises the steps of:

flowing the gas in a direction opposite a direction of the liquid fuel flow.

- 19. A method as recited in claim 17, wherein said step (1) further comprises locating the oxygen permeable porous membrane non-perpendicular to said fuel flow.
- 20. A method as recited in claim 17, further comprising the steps of:
  maintaining a pressure differential across the oxygen permeable porous membrane,
  the pressure differential lower than a capillary force of the fuel within a pore of the oxygen
  permeable porous membrane.
- 21. A method as recited in claim 17, further comprising the steps of:
  maintaining a pressure differential across the oxygen permeable porous membrane,
  the pressure differential comprising a pressure on the sweep gas side lower than a pressure on
  the fuel side.
- 22. A method as recited in claim 17, further comprising the steps of:
  communicating the sweep gas to a fuel condenser downstream of the oxygen
  permeable porous membrane; and

condensing the fuel from within the sweep gas.